

# SAFETY INFORMATION CHORUS MYCOPLASMA PNEUMONIAE IgG

Compilation date:

07 June 2021

Edition: 3

Chorus Mycoplasma pneumoniae IgG (REF 81034) kit is an immunoenzymatic method for the semiquantitative determination of IgG class antibodies to Mycoplasma pneumoniae in human serum, using a disposable device applied on the Chorus and Chorus TRIO instruments.

Each package contains 6 bags with 6 devices each (sufficient for 36 determinations of total).

Each kit consists of:

DEVICE				
Position 8:	Space for application of bar code label			
Position 7:	Empty			
Position 6: coated with M	MICROPLATE WELL Iycoplasma pneumoniae antigen			
Position 5: Not coated	MICROPLATE WELL			
Position 4:TMB SUBSTRATE0.400 mlThe mixture is not classified as dangerous according to Regulation 1272/2008 and does not contain hazardoussubstances and/or with limit values for exposure in concentrations above the established limits.For this mixture, according to EC Regulation 1907/2006, is not necessary to develop a material safety data sheet.Contents:Tetramethylbenzidine 0.26 mg/ml and H2O2 0.01% stabilized in 0.05 mol/L citrate buffer (pH 3.8)				
substances an	SAMPLE DILUENT0.350 mlis not classified as dangerous according to Regulation 1272/2008 and does not contain hazardous ad/or with limit values for exposure in concentrations above the established limits.re, according to EC Regulation 1907/2006, is not necessary to develop a material safety data sheet.Proteic solution containing phenol 0.05%, Bronidox 0.02% and an indicator to reveal the presence of the serum.			
Position 2:CONJUGATE0.350 mlThe mixture is not classified as dangerous according to Regulation 1272/2008 and does not contain hazardous substances and/or with limit values for exposure in concentrations above the established limits.For this mixture, according to EC Regulation 1907/2006, is not necessary to develop a material safety data sheet.Contents:Monoclonal antibodies anti-human IgG labeled with peroxidase in phosphate buffer containing phenol 0.05% and Bronidox.				
<b>Position 1:</b> In which the s	EMPTY WELL ample is transferred			

# CALIBRATOR 0.175 ml Contents: Diluted human serum, at known antibody concentration, containing Proclin and Gentamycin, liquid ready for use. POSITIVE CONTROL 0.425 ml Contents: Diluted human serum, at known antibody concentration, containing Proclin and Gentamycin, liquid ready for use. Both mixtures are classified as dangerous according to Regulation 1272/2008/EC. For these mixtures the material safety data sheet, prepared in accordance with EC Regulation 1907/2006, is available

below.



# MATERIAL SAFETY DATA SHEET CALIBRATOR/POSITIVE CONTROL

(According to Regulation (EC) No. 1907/2006)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER	25		
Product name:	CALIBRATOR/POSITIVE CONTROL		
Product code:	PF30145-C1 (CALIBRATOR); PF30145-C2 (POSITIVE CONTROL)		
Brand:	DIESSE		
DIdHU.	DIESSE		
1.2 RELEVANT IDENTIFIE	D USES OF THE SUBSTANCES OR MIXTURE .	AND USES ADVISED AGAINST	
Identified use:	Professional use as laboratory reagent.		
	Calibrator: diluted human serum, necessa	ry for the calibration of the instrument.	
	Positive Control: diluted human serum, us	sed to verify the correctness of the obtained	
	results and for the subsequent validation	of the test.	
1.3 DETAILS OF THE SUP	PLIER OF THE SAFETY DATA SHEET		
Company:	DIESSE Diagnostica Senese S.p.A		
Company.	DIESSE Diagnostica Seriese S.p.A		
	Registered office:	Production plant:	
	Via A. Solari 19	Strada dei Laghi, 39	
	20144 Milan, Italy	53035 Monteriggioni (SIENA), Italy	
	Tel: +39 02 4859121	Tel: +39 0577 307100	
	Fax: +39 02 48008530	e-mail: contatti@diesse.it	
1.4 EMERGENCY TELEPH	IONE NUMBER		
	Cantra Antivalani Oppedala Niguarda Ca	Cranda Milan	
Emergency number:	Centro Antiveleni, Ospedale Niguarda Ca' Tel: +39 02 66101029	Granda - Milan	
	Tel. +39 02 66101029		
	Centro Antiveleni, Azienda Ospedaliera "S	.G.Battista" – Molinette di Torino - Turin	
	Tel: +39 011 6637637		
	Centro Antiveleni – U.O. Tossicologia Med	ica, Azienda Ospedaliera Careggi – Florence	
	Tel: +39 055 4277238		
		Università Cattolica del Sacro Cuore - Rome	
	Tel: +39 06 3054343		
	Centro Antiveleni, Azienda Ospedaliera A.	Cardarelli – Naples	
	Tel: +39 081 7472870		

# 2. HAZARDS IDENTIFICATION

# 2.1 CLASSIFICATION OF THE SUBSTANCES OR MIXTURE

Classification according to Regulation (EC) No. 1272/2008:

Acute Toxicity - Category 4 (Oral) Skin Sensitizer-Category 1

Hazard statement:

H302 – Harmful if swallowed H317 – May cause an allergic skin reaction.

# 2.2 LABEL ELEMENTS

Pictograms:

Prevention:

Response:

GHS07

Caution

Signal word:

Precautionary statement(s):

Hazard statement(s): H302 - Harmful if swallowed H317 – May cause an allergic skin reaction.

P264 – Wash ... thoroughly after handling

P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.



P301+P312 – IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P330 - Rinse mouth P333+P313 – If skin irritation or rash occurs: Get medical advice/attention. P363 – Wash contaminated clothing before reuse.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Disposal:

P501 – Dispose of contents/container in accordance with local regulation

# Contains:

Ethylene glycol Index. No: 603-027-00-1

Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1); Index No: 613-167-00-5

# 2.3 OTHER HAZARDS

None

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

3.1 Substances

Not applicable

#### 3.2 Mixtures

International Chemical Identification	Concentration	Classifica /Regulation EC	
Ethylene glycol	25-35%	Acute Tox. 4	H302
Cas No 107-21-1			
EC No 203-473-3			
Index No 603-027-00-1			
Reaction mass of: 5-chloro-2-	0.0015-0.06%	Acute Tox. 3	H331
methyl-4-iso-thiazolin-3-one		Acute Tox. 3	H311
[EC no. 247-500-7] and 2-		Acute Tox. 3	H301
methyl-2H -isothiazol-3-one		Skin Corr. 1B	H314
[EC no. 220-239-6] (3:1);		Skin Sens. 1	H317
Cas No 55965-84-9		Aquatic Acute 1	H400
Index No 613-167-00-5		Aquatic Chronic 1	H410

The entire text of Hazard Statements is reported at Section 16 of the sheet.

# 4. FIRST AID MEASURES

# 4.1 DESCRIPTION OF FIRST AID MEASURES

General advice:	Move the person from the exposure to open air. In case of needs consult a physician immediately and show this Material Safety Datasheet. Eyewash and shower for the treatment of emergency have to be present in the workplace.
Skin contact:	Wear off the contaminated clothes and wash with copious amounts of water (for at least 15 minutes). If irritation persists consult a physician.
Eye contact:	If present, remove immediately contact lenses. Wash with plenty of water (for at least 15 minutes), keeping eyelids opened. Consult an oculist if the irritation persists.
Inhalation:	Move the person from the exposure to open air. If irritation occurs consult a physician.
Ingestion:	Rinse mouth immediately and drink a copious amount of water. Call a physician immediately. Do not cause vomiting.

# 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS

Ingestion of the product can cause nausea, vomiting and CNS disorders

# 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No data available, other than point 4.1

# **5. FIREFIGHTING MEASURES**

#### 5.1 EXTINGUISH MEDIA

Suitable extinguishing media:	Use extinguishing measures ( $CO_2$ , foam, dry powder, water) that are appropriate to local circumstances and the surrounding environment.
Not Suitable extinguishing media:	None

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

The mixture is not flammable, however in case of fire may release irritating and/or toxic gases.

#### 5.3 ADVICE FOR FIREFIGHTERS

Wear appropriate personal protective equipment and clothing. In case of fire, wear self-contained breathing apparatus and avoid that fire extinguishing water contaminates surface water and/or groundwater.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Avoid the contact with skin and eyes and evacuate the area, keeping people not involved in the intervention operations away. Ensure an adequate ventilation of the affected area. Do not handle damaged containers or the leaked product before wearing appropriate protective outfit.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Avoid the contamination of surface water, soil and the dispersion in the air. Do not let product enter into drains. Discharge into the environment must be avoided.

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Contain the leakages with earth and sand. Collect the spilled material and store it in suitable containers for disposal. Use water only to remove residuals, to avoid the danger of spill of product into the sewers.

#### 6.4 REFERENCE TO OTHER SECTIONS

For further information see section 8 and 13.

# 7. HANDLING AND STORAGE

# 7.1 PRECAUTION FOR SAFE HANDLING

Work in well ventilated areas and in the presence of ventilation systems or personal protective equipment. Do not inhale vapors or mists. Avoid the contact with eyes, skin and clothes. Limit repeated exposure.

# 7.2 CONDITION FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep the containers at 2-8°C in a cool, well-ventilated area, away from heat sources and humidity.

#### 7.3 SPECIFIC END USE

None

#### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

#### **8.1 CONTROL PARAMETERS**

Applicable exposure	Description	Туре	TWA/8h		STEL/15min	
limits:	Description	Description Type	mg/m3	ppm	mg/m3	ppm
	Ethylene glycol* *Note: Skin	D.Lgs 81/2008	52	20	104	40

Other information:

#### Derived no effect level (IUCLID)

PNEC Fresh water: 10 mg/L Marine water: 1 mg/L Intermittent release: 10 mg/L

STP 199.5 mg/L Sediments (Fresh water): 20.9 mg/kg sediment dw Soil: 1.53 mg/kg soil dw

DNEL (Workers) Long-term exposure - systemic effects - dermal: 106 mg/kg bw/day Long-term exposure - systemic effects - inhalation: 35 mg/m<sup>3</sup> DNEL (Population) Long-term exposure - systemic effects - dermal: 53 mg/kg bw/day Long-term exposure - systemic effects - inhalation: 7 mg/m<sup>3</sup>

#### 8.2 EXPOSURE CONTROLS

Work and handle according to the usual precautionary measures for handling chemicals. Do not eat, drink or smoke while handling the product; wash hands thoroughly with soap and water before meals and after the work shift. Immediately remove all contaminated clothing.

Appropriate engineering controls:	Ensure an adequate ventilation of the working area.	
Personal Protective Equipment:	The suggestions on the use of specific PPE are indicative. Their choice should be made according to the use of the product and the instructions given by the supplier of the	
	<u>Hand protections:</u> Chemical-resistant gloves, compliant with EN 374	
	<u>Eve protections:</u> Side Shields Safety Goggles compliant with EN 166	
	Body protections: Work outfits	
	<u>Respiratory protections:</u> Not required under normal work activities	
8.3 ENVIRONMENTAL EXPOSURE CONTROLS:		

Do not discard residuals in the environment.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor: Odor threshold: Liquid Characteristic Not pertinent

pH:	No data available
Melting point/freezing point	197.6°C (Ethylene glycol)
Initial boiling point and boiling range	No data available
Flash point	111°C (Ethylene glycol)
Evaporation rate	Not pertinent
Flammability	Not pertinent
Upper/lower flammability or explosive limit	3.2-15.3 % v/v (Ethylene glycol)
Vapor pressure	0.053 hPa at 20°C (Ethylene glycol)
Vapor density	2.14 (Ethylene glycol)
Relative density	No data available
Water solubility	Soluble in water
Partition coefficient: n-octano/water	Log Po/w: - 1.36 (Ethylene glycol)
Autoignition temperature	Not pertinent
Decomposition temperature	200-250°C (Ethylene glycol)
Viscosity	21 mPas (Ethylene glycol)
Explosive properties	Not explosive
Oxidizing properties	No data available

#### 9.2 OTHER SAFETY INFORMATION

#### None

# **10. STABILITY AND REACTIVITY**

#### 10.1 REACTIVITY

In case of a strong heating, the product could form vapors, which are flammable if mixed with air.

#### **10.2 CHEMICAL STABILITY**

Stable until the expire date under the recommended transport, handling and storage conditions

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Information about the contained substances:

#### Ethylene glycol

Risk of explosion in case of contact with aluminum and perchloric acid.

Risk of fire or formation of flammable gases in case of contact with chromium chloride, strong oxidizing agents, chlorate, potassium permanganate and peroxides.

Exothermic reactions with chlorosulfonic acid, sodium hydroxide and sulfuric acid are possible.

# 10.4 CONDITIONS TO AVOID

Avoid the storage at temperature different from that are advised

# 10.5 INCOMPATIBLE MATERIALS

Strong oxidizing and reducing agents

# 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

When heated or in case of fire, vapors potentially dangerous to health may be produced.

# 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

The product is harmful if swallowed. The product can cause an allergic reaction in case of contact with skin.

Toxicological properties of the substances

Ethylene glycol	
Acute toxicity	No data available
Skin irritation/corrosion	Results of tests performed using rabbits: Not corrosive;
	slight irritation of skin with reversible effects within 72h
Eye lesions/severe eye irritation	Results of tests performed using rabbits: slightly irritating
	with completely reversible effects
Respiratory/skin sensitization	Patch test results: Negative
Mutagenicity for germ cells	Results of In vitro genotoxicity tests (Ames test with
	metabolic activation): Negative
Carcinogenicity	No data available
Reproductive toxicity	No data available
Toxicity for target organs (single and repeated exposures)	No data available
Hazards in case of inhalation	No data available
Additional information	No data available

# 12. ECOLOGICAL INFORMATION

#### 12.1 TOXICITY

Use according to the good working practices, avoiding the disposal in the environment. In case the product reach waterways or sewers or contaminate soil or vegetation, inform the competent authorities.

#### *Toxic properties of the substances*

Ethylene glycol Fishes (Oncorhynchus mykiss, 96h): Invertebrates (Daphnia magna, 24h): Algae (Scenedesmus quadricauda, 7d):

CL50> 18500 mg/l EC50 74000 mg/l IC5>10000 mg/l

#### 12.2 PERSISTENCE AND DEGRADABILITY

Ethylene glycol: readily biodegradable (OECD TG 301C)

# 12.3 BIOACCUMULATIVE POTENTIAL

No data available

# 12.4 MOBILITY IN SOIL

No data available

#### 12.5 RESULTS OF PBT AND VPVB ASSESSMENT

No data available

#### 12.6 OTHER ADVERSE EFFECTS

No data available

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 WASTE TREATMENT METHODS

The samples and all the used reagents have to be handled as potentially infected. The product and its containers should be considered special waste. Their transport and disposal should be performed by authorized specialized companies according to the law.

#### **14. TRANSPORT INFORMATION**

Not hazardous good according to the transport regulations.

# 15. REGULATORY INFORMATION

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Hazard classification, labeling and packaging under Regulation 1272/2008 (EC) and its subsequent amendments.

#### Legislative Decree 81/2008:

The use of this chemical entails the obligation of "Risk Assessment" by the employer in accordance with the provisions of the Decree April 9, 2008 n. 81 and subsequent amendments. Workers exposed to this chemical agent must not undergo health checks whether the results of the risk assessment show that, depending on the type and quantity of chemical agent and the method and frequency of exposure to this agent, there is only one "Low risk to the safety and irrelevant to the health" of the workers and the measures provided for in the same Decree are

<u>Directive 96/82/EC (Seveso Directive):</u> Not applicable

#### **15.2 CHEMICAL SAFETY ASSESSMENT**

Not performed for the product

#### **16. OTHER INFORMATION**

This product has to be used for diagnostic use only by personnel who is qualified and trained on the hazards shown in this safety sheet.

#### Text of the hazard statements present at point 3

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H331 Toxic if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

# **REFERENCES**:

- 1. Regulation (EC) 1907/2006 of the European Parliament (REACH) as amended
- 2. Regulation (EC) 1272/2008 of the European Parliament (CLP) as amended

- 3. ECHA European Chemicals Agency www.echa.europa.eu
- 4. The Merck Index.
- 5. Handling Chemical Safety
- 6. NIOSH Registry of Toxic Effects of Chemical Substances
- 7. INRS Fiche Toxicologique

DIESSE Diagnostica Senese SpA declares that the information contained in this data sheet is based on the knowledge available to us on the date of the last version. Users must verify the suitability and accuracy of the provided information according to the specific use of the product. The document has not been accepted as a guarantee of any specific product property. Because of the use of this product is not subject to our direct control, the users, under their own responsibility, must observe the laws and regulations relating to health and safety. We accept no responsibility for improper use.

This sheet supersedes any previous edition.