



EU DECLARATION OF CONFORMITY

MANUFACTURER:	DIESSSE DIAGNOSTICA SENESE SPA STRADA DEI LAGHI 39 53035 MONTERIGGIONI (SI), ITALY
SINGLE REGISTRATION NUMBER	IT-MF-000013311
AUTHORIZED REPRESENTATIVE:	NOT APPLICABLE
PRODUCT: CODE:	CHORUS 25OH VITAMIN D TOTAL 86900
INTENDED PURPOSE:	CHORUS 25OH VITAMIN D TOTAL is an immunoassay kit for automated quantitative detection of 25(OH) Vitamin D, performed in human serum using a disposable device applied on the Chorus and Chorus TRIO instruments. Since 25(OH) Vitamin D is considered the main form of storage of Vitamin D, the kit is intended to monitor the overall Vitamin D status and the relative therapeutic measures. It must be used by professional laboratory users only.
BASIC UDI-DI	803389132VITAMIND00GP
UDI-DI	08033891329709
RISK CLASS:	CLASS B
CLASSIFICATION RULE:	RULE 6
CONFORMITY ASSESSMENT ROUTE:	ANNEX IX
WE HEREWITH DECLARE THAT THE ABOVE MENTIONED PRODUCT IS IN CONFORMITY WITH REGULATION (EU) 2017/746 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL ON IN VITRO DIAGNOSTIC MEDICAL DEVICE. ALL SUPPORTING DOCUMENTATION IS RETAINED UNDER THE PREMISES OF THE MANUFACTURER.	
REFERENCE TO ANY CS APPLIED:	NOT APPLICABLE
NOTIFIED BODY:	TÜV SÜD PRODUCT SERVICE GMBH RIDLERSTAßE 65 – 80339 MUNICH GERMANY No. 0123
(EU) CERTIFICATE:	V12 056726 0006 Rev. 01
REVISION:	1
PLACE, DATE OF ISSUE:	MONTERIGGIONI, 22 JANUARY 2024

EXPIRY DATE:

2027-06-26

THE PRESENT EU DECLARATION OF CONFORMITY IS ISSUED UNDER THE SOLE AND EXCLUSIVE RESPONSIBILITY OF THE MANUFACTURER.

SIGNATURE:



MARIA CLAUDIA ALCARO
PERSON RESPONSIBLE FOR THE REGULATORY
COMPLIANCE

THIS IS THE CERTIFIED COPY OF THE ORIGINAL DOCUMENT STORED IN ARCHIVE OF DIESSE DIAGNOSTICA SENESE SPA

ISSUED: MONTERIGGIONI, 2024-01-22



MAGDALENA STOCZKO
REGULATORY SUPERVISOR